RYVKIN, S.M.; KONOPLEVA, R.F.; MASLOVA, L.V.; MATVEYEV, O.A.; STROKAN, N.B.;
    TARKHIN, D.V.; KHOZOV, G.V.

Germanium photodiodes with small inertia. Fiz. tver. tela 2 no.9:2199-
2201 S '60.   (MIRA 13:10)

1. Leningradskiy fiziko-tekhnicheskiy institut AN SSSR.
                    (Germanium diodes)

37808

S/120/62/000/002/039/047
E140/E163.

24,7800

AUTHORS: Berkovskiy, F.M., Strokan, N.B., and Khozov, G.V.

TITLE: Study of the possibility of measuring semiconductor relaxation times of the order of 10^{-8} sec by the phase method

PERIODICAL: Pribory i tekhnika eksperimenta, no.2, 1962, 165-168

TEXT: A Kerr-cell modulator with sinusoidal 1 Mcs control signal was used to determine the lag of a fast photodiode on the basis of phase shift measurements. Two methods of obtaining the reference were examined: a photomultiplier detects the same light signal; the voltage applied to the Kerr cell is itself taken as the reference. It is considered that the delay in the photomultiplier itself is not negligible at the values used in the present measurements, whereas the phase shifts in the modulator are negligible. A constant difference was observed between the results obtained with the photomultiplier and those based on the Kerr-cell control voltage of the order of 10^{-8} sec.

Card 1/2

Study of the possibility of ...   S/120/62/000/002/039/047
                                          E140/E163

The precision of the latter method is slightly higher and
superior for measurements of time intervals shorter than
10^{-8} sec.

There are 3 figures.

ASSOCIATION: Fiziko-tekhnicheskiy institut AN SSSR
             (Physicotechnical Institute, AS USSR)

SUBMITTED: July 5, 1961

Card 2/2

S/120/63/000/001/030/072
E039/E320

AUTHORS: Strokan, N.B. and Khozov, G.V.

TITLE: Use of a diffraction-modulator for measuring small
                relaxation times in semiconductors by the phase
                method

PERIODICAL: Pribory i tekhnika eksperimenta, no. 1, 1963, 122-125

TEXT: Data are presented on the transmitted light-modulation
system. The cell used is as described in an earlier paper
(Popov et al - Optiko-mekhan. prom-st', 1959, no. 1, 30). It is
filled with orthoxylene and a barium-titanate plate is used as a
vibrator with a natural frequency of 5.25 Mc/s. The advantages of
the diffraction-modulation system compared with the Kerr cell are:
1) elimination of the foil and lower controlling voltage than
required for a Kerr cell; 2) for a corresponding selection of
liquids the diffraction-modulation system can work in the 3 to
4 μ region of the spectrum; 3) low intensity of illumination
required; 4) because of its low control voltage the diffraction-
modulation system makes it easier to work at high frequencies.
The apparatus is used for making measurements on the silicon surface-

Card 1/2

Use of a ....

S/120/63/000/001/030/072
E039/E072

- barrier photodiode with a time constant of 10^{-8} to 10^{-9} sec. There are 3 figures.

ASSOCIATION: Fiziko-tekhnicheskiy institut AN SSSR (Physicotechnical Institute of the AS USSR)

SUBMITTED: April 4, 1962

Card 2/2

MASLOVA, L. V.; MATVEYEV, O. A.; RYVKIN, S. M.; STROKAN, N. B.;
TARKHIN, D. V.; KHOZOV, V. G.

Possibilities for using silicon counters in nuclear research.
Izv. AN SSSR. Ser. fiz. 16 no.12:1498-1505 D '62.
                                    (MIRA 16:1)

(Nuclear counters—Design and construction)

NIKUKOVA, T.P.; KHOZOVA, L.M.

Dyeing of elastic hosiery. Nauch.-issl. trudy VNIITP no. 5:
85-90 '61.
(MIRA 19,1)

1. KOZOVSKIY, I L., Engs.; SHUVALOV, N. A.

2. USSR (600)

4. Steam Boilers - Air Preheating

7. Initial results of operating air preheaters of small dimensions designed by the All-Union Institute of Heat Engineering. Elek. sta., 23, No. 1, 1952

9. **Monthly List of Russian Accessions**, Library of Congress, February 1953. Unclassified.

SLAVYANSKIY, Viktor Timofeyevich; YEVSTROP'YEVA, K.S., doktor khimicheskikh
nauk, professor, redaktor; FREYBERG, S.I., zasluzhennyy deyatel'
nauki i tekhniki, professor, retsenzent: KHOZYAINOV, M.I., inzhener,
redaktor; SUVOROVA, I.A., izdatel'skiy redaktor; ROZHIN, V.P.,
tekhnicheskiy redaktor.

[Gases in glass] Gazy v stekle. Pod.red.K.S. Evstrop'eva. Moskva,
Gos.izd-vo obor.promyshl., 1957. 141 p.   (MIRA 10:4)
                 (Glass)

FEDOROVA, Ye.O.; KHOZYAINOV, M.I., inzh., red.; MOROZOVA, P.B., izdatel'skiy
red.; ROZHIN, V.P., tekhn. red.

[Indicatrices of light scattered by large transparent particles of
spherical and random forms] Izuchenie indikatris rasseianiia sveta
krupnymi prozrachnymi chastitsami sfericheskoi i proizvol'noi
formy. Moskva, gos. izd-vo obor. promyshl. 1957. 68 p. (Leningrad.
Gosudarstvennyi Opticheskii Institut. Trudy, no.151).(MIRA 11:6)
(Light—Scattering)

YASTREBOVA, L.S.; KHOZYAINOV, M.I., inzh., red.; MOROZOVA, P.B., izdatel'skiy
red.; ROZHIN, V.P., tekhn.red.

[Protection of optical silica glass from chemical damage] Zashchita
silikatnykh opticheskikh stekol ot khimicheskogo razrusheniia.
Moskva, Go.s izd-vo obor. promyshl., 1958. 108 p.   (MIRA 11:5)
(Glass, Optical)

KHOZYAINOV, V. T.

KHOZYAINOV, V. T. - "Meson Formation During Peripheral Collisions of Nucleons."
Sub 10 Jan 53, Inst of Physical Problems imeni S. I. Vavilov, Acad Sci
USSR. (Dissertation for the Degree of Candidate in Physicomathematical
Sciences).

SO: Vechernaya Moskva January-December 1952

KORSUNSKIY, M.I.; KHOZYAINOV, V.T., redaktor; TUMARKINA, N.A., tekhni-
cheskiy redaktor.

[Isomerism of atomic nuclei] Izomeriia atomnykh iader. Moskva, Gos.
izd-vo tekhniko-teoret. lit-ry, 1954. 327 p.   (MLRA 7:8)
    (Nuclear physics)

USSR/Nuclear Physics - Particle collision   FD-1480

Card 1/1   : Pub. 146-3/20

Author   : Khozyainov, V. T.

Title   : Theory of collisions of particles with a specified angular momentum

Periodical   : Zhur. eksp. i teor. fiz., 27, 275-282, Sep 1954

Abstract   : The relativistic wave function of a two fermion system having a certain
                 angular momentum in common is obtained by means of spherical vector
                 functions and is represented as superposition of wave functions assumed
                 to be plane, but having spin. The processed analysis contains a method
                 of investigation of various processes at a specified angular momentum.
                 Six references including 4 foreign.

Institution : Institute of Physical Problems, Acad Sci USSR

Submitted   : November 6, 1953

KHOZYAINSV, V.T.

RML

2207.   Formation of mesons in periphery collisions of nucleons. V. T. KHOZYAINOV. *Zh. iksper. teor. Fiz., 27, No. 4(10) 445-57 (1954) In Russian.*
The cross-section is expressed as a function of relative angular momentum as well as of energy of the nucleons. It is assumed that perturbation theory is adequate for periphery (grazing) collisions, i.e. for collisions with impact parameter greater than a critical value, which is taken here to be the value at which the probability is of order unity. Collisions with smaller impact parameter are not discussed.   G. E. BROWN

Khozyainov, C. T.

FRESNEL, Augustin Jean; TSEITLIN, Z.A. [translator]; LANDSBERG, G.S., akademik, redaktor; KHOZYAINOV, V.T., redaktor; TUMARKINA, N.A., tekhnicheskiy redaktor.

[Selectec studies in optics. Translated from the French by Z.A.TSeitlin] Izbrannye trudy po optike. Pereved s frantsuzskego Z.A.TSeitlina. Pod red.G.S.Landsberga. Moskva, Ges,izd-ve tekhnike-teoreticheskei lit-ry, 1955. 602 p.   (Optics)   (MIRA 9:6)

KHOZYAINOV, V.T.

Stories of the universe and the atom. ("The universe and the atom"
V. Mezentsev. Reviewed by V.T. Khoziainov). Nauka i zhisn' 22
no.4:62-63 Ap '55.
        (Mezentsev, Vl. A.) (Cosmology)   (MIRA 8:6)

RUDER, Yuriy Borisovich; KHOZYAINOV, V.T., redaktor; GAVRILOV, S.S.,
tekhnicheskiy redaktor

[Studies in 5 optics] Issledovaniia po 5-optike. Moskva, Gos.
izd-vo tekhniko-teoret. lit-ry, 1956. 151 p.　　　　　(MLRA 9:7)
　　　(Physics)　　(Field theory)

KHOZYAINOV, V.T.

SUBJECT   USSR / PHYSICS   CARD 1 / 2   PA - 1458
AUTHOR   CHOZJAINOV,V.T.
TITLE   Remarks concerning the Theory of the Scattering of Particles with
            an Assumed Total Moment of the Kinetic Quantity.
PERIODICAL Žurn.eksp.i teor.fis, 31, fasc.1,138-140 (1956)
            Issued: 9 / 1956   reviewed: 11 / 1956

Here the scattering of two fermions which are in interaction by a boson field, is
investigated. However, in contrast to the usual treatment of the problem, the
initial- and final states of the fermion pair is assumed as a state with a certain
total moment of the kinetic quantity. The motion of the center of mass is best
separated from the relative motion. The matrix element corresponding to the
simplest irreducible diagram is written down. Here only such interaction processes
are studied as do not lead to the emission or absorption of bosons. Also the case
without exterior fields is investigated. The matrices which are of interest here
are obtained best by transformation from the above mentioned matrix element; they
are explicitly written down. In electrodynamics it is formally impossible to
carry out integration in the expression for the matrix element. In the case of
not too high initial energies the scattering amplitude depends exponentially on
the mass of the bosons transmitting interaction, which makes scattering with the
help of heavy particles little probable. For the energies $\mathfrak{z}\,\mu/p \ll 1$ the
scattering amplitude grows logarithmically.
The aforementioned transformation makes it possible to eliminate divergences
within the framework of the perturbation theory without carrying out the computa-

KHOZYAYNOV, V. T.

1 - eroz

/4735

19

REMARKS ON THE THEORY OF SCATTERING OF PARTI-
CLES WITH A GIVEN TOTAL ANGULAR MOMENTUM.
V. T. Khoziainov (Academy of Sciences, USSR). Soviet
Phys. JETP 4, 137-9(1957) Feb.

The scattering of two fermions interacting by means of a
boson field is considered. The initial and final states of pair
of fermions are specified as states with a certain given total
angular momentum. (B.J.H.)

24(8) 24.5600

AUTHOR: Khozyainov, V.T.

66823
SOV/155-58-5-24/37

TITLE: The Boundary Between the Normal and the Superfluid Phase of Fluid Helium in a Heat Convection

PERIODICAL: Nauchnyy doklady vysshey shkoly. Fiziko-matematicheskiye nauki,1958,Nr 5,pp 139-146 (USSR)

ABSTRACT: In [Ref 1] V.P. Peshkov stated that in fluid helium which is in a temperature field with constant gradient, two different fluid phases can be observed simultaneously, whereby temperature and density make a jump on the boundary. In the present paper the author tries to comprehend theoretically the heat transfer between both phases ; for the jump of temperature he obtains a rough approximation ; he explains the visual stability of the phase boundary (in spite of turbulence). If the process is understood at the boundary as an analogue of the heterogeneous reaction, then it is $q = a(\Delta T)^{\alpha}$, where q is the heat flow along the fluid helium, ΔT the jump of temperature. For α the author calculates the value $\alpha^{-1} = 1.9$ which coincides with the experiment [Ref 1].

Card 1/2

24(5)

AUTHOR: Khozyainov, V. T.   SOV/2o-122-6-13/49

TITLE: On the Theory of the Multiple Production of Elementary
               Excitations (K teorii mnozhestvennogo obrazovaniya elementarnykh
               vozbuzhdeniy)

ABSTRACT: The state of a quantum liquid (superfluid helium) at tempera-
               tures that are different from absolute zero represents a
               totality of elementary excitations which form a gas of
               quasiparticles (phonons and "rotons") in first approximation.
               In this case absorption- and emission processes of the excita-
               tions (transition- and relaxation phenomena) are possible.
               The concrete properties of the interaction leading to the
               production of the excitation are unknown, though interaction
               must be considerable in the case of great energy densities.
               Therefore, the yield of a multiple process is best calculated
               by the statistical method developed by Fermi (Ref 1). First,
Card 1/4   a formula is given for the relative probability of the decay

On the Theory of the Multiple Production of Elementary Excitations

$S_n(W)$ of a composed system with the total energy W in n equal quasiparticles. The law of the conservation of the angular momentum is neglected, which, however, is not a grave error in the approximation under investigation. Very large systems, the dimensions of which are much greater than the free length of path of an elementary excitation in the surrounding medium, must behave in a manner similar to that of heterophase inclusions. Next, the formula for $S_n(W)$ is transformed with the

help of integral representations. In the case of "rotons" with the energy spectrum $\varepsilon(p) = \Delta + (p - p_o)^2/2\mu$ the relative

probability of the production of n excitations by the gradual application of the saddle point method is used for every integration. The expression obtained after rather lengthy calculations is explicitly written down. $\varepsilon(p)$ denotes the energy of a single elementary excitation, while the other quantities occurring in the above formulae have apparently already been defined by earlier papers. In a similar manner also those formulae are calculated which, in the same approximation, describe the probability of the formation of e.g. "rotons" and n-s phonons. By means of the probabilities found, it is then

Card 2/4

On the Theory of the Multiple Production of Elementary Excitations

SOV/2o-122-6-13/49

possible to calculate the average number of a certain type of elementary excitations formed in the decay of a certain system:

$$\bar{n} = \sum n s_n / \sum s_n.$$

Besides, it is possible in this way to calculate the quadratic deviation from the mean value. Determination of the maximum of the function $S(x)$ is reduced to solving a transcendental equation, the form of which depends on the energy spectrum of the excitations produced. The special formulae for photons and rotons are explicitly written down. There are 2 figures and 2 references.

ASSOCIATION: Matematicheskiy institut im. V. A. Steklova Akademii nauk SSSR
(Mathematics Institute imeni V. A. Steklov of the Academy of Sciences, USSR)

Card 3/4

10(2)

AUTHOR: Khozyainov, V. T.   SOV/2o-123-5-18/5o

TITLE: Transfer of Heat Between the Normal and the Superconducting
Phases of Liquid Helium (Peredacha tepla mezhdu normal'noy
i sverkhtekuchey fazami zhidkogo geliya)

PERIODICAL: Doklady Akademii nauk SSSR, 1958, Vol 123, Nr 5, pp 835-837
(USSR)

ABSTRACT: V. P. Peshkov (Ref 1) detected a visible boundary between
the superfluid and the normal modifications of helium if a
steady flow of heat passes this boundary. Although the phase
transition between these 2 modifications is a transition of
the second kind (under usual conditions), in the present
case discontinuities of the density and of the temperature
on the boundary were observed and its dependence on the density
of heat flow was measured. This paper deals with the heat
transfer mentioned in the title and with the existence of a
stable boundary between these 2 modifications notwithstanding
the obvious presence of turbulences (turbulent heat conduc-
tion) in normal helium. The mechanisms of heat conduction
Card 1/4 are essentially different on both sides of the boundary

SOV/20-123-5-18/50

Transfer of Heat Between the Normal and the Superconducting Phases of Liquid Helium

(superfluid helium is also a superconductor of heat). From the phenomenological point of view, there is a continuous absorption of the superconducting part ϱ_s and a continuous production of the normal part ϱ_n of the density of helium II $(\varrho = \varrho_n + \varrho_s, \quad \varrho_n v_n = -\varrho_s v_s)$. This causes a multiple production of excitation quanta ("rotons") which play the principal part at the investigated temperatures. Formally, the heat flow through the boundary can be represented by $q = a(\Delta T)^\alpha$ where $\Delta T = T - T_0$ is the measured temperature discontinuity. $T > T_\lambda$ is the average temperature of the normal phase near the boundary. In the investigated case, the steady state of superfluid helium is determined by the maximum entropy $S(T,v)$ of helium II. v denotes the "relative velocity" $v = v_n - v_s$. The steady temperature T_0 is the lower the more intense the heat flow through the boundary between the phases. The mechanism of the multiple production of quasiparticles (rotons) can be explained as follows: Compound systems are

Card 2/4

SOV/2o-123-5-18/5o

Transfer of Heat Between the Normal and the Superconducting Phases of Liquid Helium

formed in the boundary region and these systems have a
higher energy density than the surrounding media. These
systems are then disintegrated and they pass over to one
of the possible states which can be characterized by the
number of the produced quasiparticles.The probability of this
phenomenon and the average number of the produced rotons in
one act of disintegration was found in one of the author's
previous papers (Ref 3). These results are used in the
present paper. The formation of the compound systems depends
on the hydrodynamic properties of liquid helium and on the
heat transfer in the normal phase. Turbulence decreases
quickly in superfluid helium. A formula is derived for the
drop dimensions. The problem was idealized in the following
way: The properties of the liquid were assumed to be essential-
ly different on both sides of the boundary and that cannot
be quite true near the λ-point. The results of the calcula-
tions show, however, that the theory correctly takes account
of the principal features of the mechanism. The author thanks

Card 3/4   V. P. Peshkov for some useful discussions of the problem.

SOV/2o-123-5-18/5o

Transfer of Heat Between the Normal and the Superconducting Phases of
Liquid Helium

There are 1 figure and 5 Soviet references.

ASSOCIATION: Matematicheskiy institut im. V. A. Steklova Akademii nauk SSSR
(Mathematical Institute imeni V. A. Steklov of the Academy
of Sciences, USSR)

PRESENTED: July 18, 1958, by N. N. Bogolyubov, Academician

SUBMITTED: May 22, 1958

Card 4/4

KHOZYAINOV, V.T., kand.fiz.-mat.nauk

Wonderful current. Znan.sila 34 no.2:22-23 F '59.   (MIRA 12:3)
                (Superconductivity)

FEDYANIN, V.K.[translator]; KHOZYAINOV, V.T. [translator];
 MEDVEDEV, B.V., red.; SHIRKOV, D.V., red.; LIVSHITS,
 B.L., red.

 [What do physicists think about] Nad chem dumaiut fiziki.
 Pod red. B.V.Medvedeva i D.V.Shirkova. Moskva, Fizmatgiz.
 No.1. [Nuclear physics] Fizika atomnogo iadra. 1962. 99 p.
 Tranlsated from the English.   (MIRA 17:6)

ACCESSION NR: AP4030632 .   S/0048/64/028/004/0620/0625

AUTHOR: Khozyainov, V,T.

TITLE: A theoretical model of ABO$_3$ type ferroelectrics /Report, Symposium on Fer-
romagnetism and Ferroelectricity held in Leningrad 30 May to 5 June 1963/

SOURCE: AN SSSR. Izv. Ser.fiz., v.28, no.4, 1964, 620-625

TOPIC TAGS: ferroelectricity, correlation interaction polarization, ABO$_3$ type ferro-
electrics

ABSTRACT: The possibility is discussed that polarization may arise in crystals of
the type ABO$_3$ as a result of correlation interactions between electrons in the un-
filled shells of the A and B ions. The interactions between the valence electrons
are treated by the generalized variation principle of Bogolyubov (N.N.Bogolyubov,
V.V.Tomachev and D.V.Shirkov, Novy*y metod v teorii sverkhprovodimosti,1958; S.V.
Tyablikov, Nauchny*ye doklady* vy*shev shkoly*,No.3,1958). This involves introduc-
ing a set of quasiparticles for which the vacuum state is the ground state of the
system. Bogolyubov's principle yields the transformed Hamiltonian and a set of equa-
tions to determine the canonical transformation from the "real" to the quasiparti-

Card 1/3

ACCESSION NR: AP4030632

cles. The transformed Hamiltonian contains the self-consistent field and pair corre-
lation interactions. The self-consistent field is assumed to be known, and the terms
containing the polarization are written in a rough approximation involving the ave-
rage internal field of the crystal. The problem is simplified by the assumption that
there are just two sets of overlapping states, having oppositely directed dipole
moments, and that the pairing interaction is attractive in a certain energy region.
The chemical potential and the ground state dipole moment are then calculated. The
latter will be different from zero provided the pairing interactions among the two
sets of states are not identical, and one can expect this to be the case because of
the existence of preferred directions in the crystal. The theory makes it possible
to understand the great differences between the ferroelectric behavior of crystals
that can be expected to have very similar self-consistent fields. $BaTiO_3$ and $BaZrO_3$,
for example, should be generally very similar. However, the energies of the 6s lev-
els of Ba and Ti are much closer (about 1 eV) than those of Ba and Zr (about 5 eV).
The pair interactions are accordingly able to produce a spontaneous polarization in
the one case and not in the other. Orig.art.has: 43 formulas.

Card 2/3

ACCESSION NR: AP4030632

ASSOCIATION: Matematicheskiy institut im.V.A.Steklova Akademii nauk SSSR (Mathemati-
cal Institute, Academy of Sciences, SSSR)

SUBMITTED: 00   DATE ACQ: 30Apr64   ENCL: 00

SUB CODE: БР, БС   NR REF SOV: 002   OTHER: 000

Card 3/3

KHOZYAINOVA, E. Ye.

KHOZYAINOVA, E. Ye. -- "A Study of Phonetics of the Native Language in the Fifth Class of the 'komi' School." Academy of Pedagogical Sciences RSFSR. Sci Res Inst of Teaching Methods. Moscow, 1955. (Dissertation for the Degree of Candidate of Pedagogical Sciences.)

SO: Knizhnaya letopis', No. 4, Moscow, 1956

198

SHKABARA, Ye.A. [Shkabara, K.O.] (Kiyev); KHOZYAINOVA, S.P. (Kiyev)

Programming of an electronic computer on a problem of establishing
diagnosis. Avtomatyka 7 no.3:51-56 '62.   (MIRA 15:6)
          (Programming (Electronic computers))
               (Medical electronics)

VEPRITSKIY, A.S., kand. tekhn. nauk; KHOZYAYEV, I.A., inzh.

Effect of the height of the arrangement of milk pipes on the work of a milking apparatus. Trakt. i sel'khozmash. no.6:34-37 Je '65.

(MIRA 18:7)

1. Rostovskiy institut sel'skokhozyaystvennogo mashinostroyeniya.

Authors' Certificates **Elektrosvyaz'**, 1959, no. 2, p. 78 SOV/106-59-2-10/11

I.A. Khraban - "A Method for the Separation of a Narrow-bandwidth, Weak Signal from Strong, Wide-spectrum, Background Noise"; N.P. Khvorostenko - "Resonance Amplifier Type of Oscillator with Shock Excitation"; L.N. Deryugin and B.Ya. Myakishev - "Diffraction, Reflecting, Side-radiation Antenna with a Controlled Polar Diagram Over a Wide Sector"; P.S. Seleznev and G.B. Glebovich - "Construction of a Magnetostriction Transducer for Magnetostriction Delay Lines"; L.G. Dorfman - "A Television Co-axial Separating, Bridge-type, Filter"; Ye.U. Badyr' - "Apparatus for Pulling a String along Pipes"; B.A.Barskiy and Ye.N. Kuzin - "A Differential Transformer or Choke for Measurement Bridges"; E.N. Ulanovskiy and Ye.V. Anurin - "Apparatus for Measurement of the Magnitude of the Reverse-current of Semiconductor Rectifier Elements'; Yu.A. Skripnik - "A Method for Determination of the Phase Angle Between Two Voltages and Apparatus for Realisation of this Method".

Card 2/2

KHRABAN, O.

Amplifiers, Vacuum Tube

Negative feed-back in low-frequency amplifiers Kinomekhanik no. 2, Feb. 1952.

Monthly List of Russian Accessions, Library of Congress, August, 1952. Unclassified.

KHRABRAN, O.

"Volume control with frequency compensation."

So, Radio, Vol. 3, p. 51, 1952

VOLKOV, V. : KINAHAN, O.

Vacuum Tubes

Work of electronic lamp. Kinomekhanik No. 7, 1952.

KHLABAN, O.

Loud-Speakers

Compensatory regulator of loudness. Radio, 29, No. 3, 1952.

KHRABAN, O.

Decibels.   Kinomekhanik no.10:42-43 0 '53.

(MLRA 6:10)
(Decibels)

PROVAZ, Josef; KHRABAN, O.G., kand. tekhn. nauk [translator];
    LINDE, D.P., kand.tekhn.nauk, red.; DROZDOVSKAYA, I.S., red.;
    REZOUKHOVA, A.G., tekhn. red.; IOVLEVA, N.A., tekhn. red.

    [Temperature compensation of the nostability of high-
    frequency circuits] Temperaturnaia kompensatsiia nestabil'-
    nosti vysokochastotnykh konturov. Pod red. D.P.Linde. Moskva, I
    Izd-vo inostr.lit-ry, 1960. 214 p. Translated from the Czech.
                                                    (MIRA 15:7)
    (Microwaves)   (Electric networks) (Microwave wiring)

114 - 1 - 2/15

AUTHOR: Khrabov, V. A., Engineer

TITLE: Testing a New Turbine at the Leningrad Metal Works. (Ispytaniya novoy turbiny na LMZ)

PERIODICAL: ENERGOMASHINOSTROYENIYE, 1957, No. 1, p. 7, (U.S.S.R.)

ABSTRACT: A VPT-50-2 turbine was tested at the Leningrad Metal Works. It is a condensing turbine with steam tappings for heat supply; it is designed to supply heat to industrial centers at distances up to 50 km from the power station. It is a two-cylinder turbine with steam distribution valves in the low pressure cylinder instead of a rotating diaphragm on the steam tapping. This turbine was completed in twelve months, including design work and preparation for manufacture.

ASSOCIATION:

PRESENTED BY:

SUBMITTED:

AVAILABLE: Library of Congress

KHRABROV, I.; BOGDANOV, G.

Imperfections of the stern tube arrangement on the motorship "Murmanets." Mor.flot 23 no.2:33 F '63. (MIRA 16:2)

1. Starshiy gruppovoy inzh.-mekhanik Murmanskogo portovogo flota (for Khrabrov). 2. Starshiy inzh. otdela tekhnicheskogo kontrolya Murmanskogo portovogo flota (for Khrabrov).
(Motorships—Design and construction)

KHRABROV, N. I.

"Analysis of the Influence of Basic Parameters of Drilling Operations on the Rate of Gallery Driving." Sub 19 Apr 51, Moscow Mining Inst imeni I. V. Stalin

Dissertations presented for science and engineering degrees in Moscow during 1951.

SO: Sum. No. 480, 9 May 55

ANDROS, I.P., inzh.; ASSONOV, V.A., kand. tekhn. nauk.; BERNSHTEYN, S.A.,
      inzh.; BOKIY, B.V., prof.; BROVMAN, Ya.V., inzh. BONDARENKO, A.P.,
      inzh.; BUCHNEV, V.K., kand. tekhn. nauk; VERESKUNOV, G.P., kand.
      tekhn. nauk; VOLKOV, A.F., inzh.; GELESKUL, M.N., kand. tekhn. nauk;
      GORODNICHEV, V.M., inzh.; DEMENT'YEV, A.Ya., inzh.; DOKUCHAYEV, M.M.,
      inzh.; DUBNOV, L.V., kand. tekhn. nauk; YEPIFANTSEV, Yu.K., kand.
      tekhn. nauk.; YURASHKO, I.S., inzh.; ZHDANOV, S.A., kand. tekhn.
      nauk; ZIL'BERBROD, A.F., inzh.; ZINCHENKO, B.M., inzh.; ZORI, A.S.,
      inzh.; KAPLAN, L.B., inzh.; KATSAUROV, I.N., dots.; KITAYSKIY, E.V.,
      inzh.; KRAVTSOV, Ye.P., inzh.; KRIVOROG, S.A., inzh.; KRINITSKIY,
      L.M., kand. tekhn. nayk; LITVIN, A.Z., inzh.; MALEVICH, N.A.,
      kand. tekhn. nauk; MAN'KOVSKIY, G.I., doktor tekhn. nauk; MATKOVSKIY,
      A.L., inzh.; MINDELI, E.O., kand. tekhn. nauk; NAZAROV, P.P., kand.
      tekhn. nauk; NASONOV, I.D., kand. tekhn. nauk; NEYYENBURG, V.Ye.,
      kand. tekhn. nauk; POKROVSKIY, G.I., prof., doktor tekhn. nauk;
      PROYAVKIN, E.T., kand. tekhn. nauk; ROZENBAUM, inzh.; ROSSI, B.D.,
      kand. tekhn. nauk; SEMEVSKIY, V.N., doktor tekhn. nauk; SKIRGELLO,
      O.B., inzh.; SUKHUT, A.A., inzh.; SUKHANOV, A.F., prof., doktor
      tekhn. nauk; TARANOV, P.Ya., kand. tekhn. nauk; TOKAROVSKIY, D.I.,
      inzh.; TRUPAK, N.G., prof., doktor tekhn. nauk; FEDOROV, S.A., prof.,
      doktor tekhn. nauk; FEDYUKIN, V.A., inzh.; KHOKHLOVKIN, D.M., inzh.;
      KHRABROV, N.I., kand. tekhn. nauk; CHEKAREV, V.A., inzh.; CHERNAVKIN,
      N.N., inzh.; SHREYBER, B.P., kand. tekhn. nauk; EPOV, B.A., kand.
      tekhn. nauk; YAKUSHIN, N.P., kand. tekhn. nauk; YANCHUR, A.M., inzh.;
      YAKHONTOV, A.D., inzh.; POKROVSKIY, N.M., otvetstvennyy red.;
      KAPLUN, Ya.G. [deceased], red.; MONIN, G.I., red.; SAVITSKIY, V.T.,
                                          (Continued on next card)

ANDROS, I.P.——(continued)   Card 2.
       red.; SANOVICH, P.O., red.; VOLOVICH, M.Z., inzh., red.; GORITSKIY,
       A.V., inzh., red.; POLUYANOV, V.A., inzh., red.; FADEYEV, E.I.,
       inzh., red.; CHECHKOV, L.V., red. izd-va; PROZOROVSKAYA, V.L.,
       tekhn. red.; NADBINSKAYA, A.A., tekhn. red.

       [Mining; an encyclopaedic handbook] Gornoe delo; entsiklopedicheskii
       spravochnik, Glav. red. A.M. Terpigorev. Moskva, Gos. nauchno-
       tekhnicheskoe izd-vo lit-ry po ugol'noi promyshl. Vol.4 [Mining
       and timbering] Provedenie i kreplenie gornykh vyrabotok. Red-
       kollegiia toma: N.M.Pokrovskii... 1958. 464 p.   . (MIRA 11:7)

                    (Mine timbering)   (Mining engineering)

NESTERENKO, V.A.; KHRABROV, N.I.; PAVLENKO, I.Ya.; KONONENKO, V.M.

Driving and supporting haulage workings in mines developing the Fominskoye layer. Ugol' Ukr. 7 no.6:16-18 Je '63.   (MIRA 16:8)

1. Khar'kovskiy institut gornogo mashinostroyeniya, avtomatiki i vychislitel'noy tekhniki (for Nesterenko, Khrabrov). 2. Shakhterskiy trest ugol'nykh predpriyatiy kombinata Rostovugol' Ministerstva ugol'-noy promyshlennosti SSSR (for Pavlenko). 3. TsNIIGoroshsheniye (for Kononenko).

ZELEZNEV, S.A.; SMIRNOV, I.K.; IL'INSKIY, I.A.; KHRABROV, O.P.

Polyethylene vascular cannulas and their preparation. Fiziol.
zhur. 50 no.5:643-644 My '64.   (MIRA 18:2)

1. Laboratoriya patologicheskoy fiziologii Instituta skoroy
pomoshchi imeni Dzhanelidze, Leningrad.

NEKHAMKIN, N.O., kand. tekhn. nauk; RYNDIN, N.I., kand. tekhn. nauk;
    KHRABROV, S.I., inzh.

    Studying the joining of particle board by metallic fastening
    and tenons. Der. prom. 13 no.9:16 S '64.

                                        (MIRA 17:11)

PETROV, D. P., FILIPPOV, N. V., FILIPPOVA, T. I., KHRABROV, V. A.

"Powerful Gas Discharge in Chambers with Conducting Walls." (Work carried out in 1954 and 1957); pp. 170-181.

"The Physics of Plasmas; Problems of Controlled Thermonuclear Reactions." Vol. IV. 1958, published by Inst. Atomic Energy, Acad. Sci. USSR. resp. ed. M. .A. Leontovich, editorial work V. I. Kogan.

Available in Library.

KHRABROV, V.A.

ANDRIANOV, A. M., BAZILEVSKAYA, O. A., BRAGINSKIY, S. I., BREZHNEV, B. G., PODGORNY, I. M., PROKHOROV, Y. G., FILIPPOV, N. V., FILIPPOVA, T. I. and KHRABROV, V. A.

"Experimental Investigation of High Current Pulse Discharges."

paper to be xx presented at 2nd UN Intl. Conf. on the peaceful uses of Atomic Energy, Geneva, 1 - 13 Sept 58.

KHKABKOV, V.A.

24(3)/20

6702

AUTHORS: Granovskiy, V.L., Luk'yanov, S.Yu., Spivak, G.V. and Sirotenko, I.G.

TITLE: Report on the Second All-Union Conference on Gas Electronics

PERIODICAL: Radiotekhnika i elektronika, 1959, Vol 4, Nr 8, pp 1359 - 1358 (USSR)

SOV/109-4-8-22/35

I.M. Podgornyy and M.G. Koval'skiy - "New Data on X-ray Radiation During Pulse Discharges".
V.A. Burtsev and M.M. Butkovskaya dealt with the investigation of the neutron radiation in powerful gas discharges in chambers with conducting walls.
N.A. Borzunov, et al. - "Investigation of the Gas Discharge in a Conical Chamber".
S.M. Osovets, et al. - "A Turn of Plasma in Transverse Magnetic Field".
I.G. Kesayev "Data on the Division of a Cathode Spot on Mercury in a Low-pressure Arc" (see p 1289 of the journal).
A.H. Pobagg (England) - "A New Theory of the Cathode Spot" (see p 1295 of the journal).
L.M. Brauner - "Positive Column in a Hydrogen Discharge With Stationary and Pulse Loads".
I.G. Nekrashevich and A.A. Lahud - "Current Distribution on the Surface of Electrodes in Electric Pulse Discharges".
L.S. Krarov "Some Properties of Gas Discharges in Low-voltage Halogen Counters".
G.I. Gleizer and V.L. Granovskiy - "Comparison of the Initial De-ionization in the Isotopes of Hydrogen (H and D)".
L.A. Sena communicated some results on the probe-breakdown method pulses at low pressures.
M.S. Vasil'yeva and A.A. Zaytsev - "Charge-density Oscillation Waves in Cylindrical Plasma".
Radioš of Czechoslovakia communicated some information on the wave-like phenomena in gas-discharge plasma.
I.G. Brukner dealt with the problem of the determination of the energy of fast ions in pulse discharges.
B.B. Kadomtsev - "Convection Instability of a Plasma String".
B.I. Reutinskiy and V.D. Shafranov - "Theory of a High-temperature Plasma String".

The fifth section was presided over by N.A. Kaptsov and dealt with high-frequency currents in gases. The following papers were read:
V.Yu. Golant, "Formation of Ultra-high Frequency Pulse Discharges in Inert Gases".
G.I. Babykin - "Influence of the Boundary Conditions on the Formation and Maintenance of High-frequency Discharges".
P.L. Kapitsa et al. - "Investigation of a Self-maintained Ultra-high Frequency Pulse Discharge and the Process of its Development".
Sh. Slonimsker and G.S. Solntsev - "Some Results of the Investigation of the Formation of Low-pressure High-Frequency Discharges".
V. Margeau (USA) - "Conductivity of Weakly Ionized Plasma".

A.A. Kuzovnikov - "The Conditions of Transition from High-frequency Corona Discharges at Atmospheric Pressure".
V.Yu. Golant - "The relationship Between the Character-istics of the Ultra-high frequency Current and the Direct Current in Gas Discharge".
B.M. Jakovlyev analyzed the conductivity of the disintegrating plasma in the window of a resonance discharge tube.
A.A. Zaytsvskiy and L.B. Shcheburia dealt with the applicability of the probe method to high-frequency discharges (see p 1338 of the journal).
The paper by V. Ye. Mitsuk et al. was devoted to the investigation of the ultra-high frequency plasma by means of the Stark effect.
G.S. Solntsev et al. dealt with the problem of electric fields in a high-frequency discharge at low pressure.
Ye. Badareu of Rumania read a paper entitled "High-frequency Discharges in Methane".
The work of the sixth section was devoted to the problems of plasma and its radiation; the section was presided over by V.A. Fabrikant. The following papers were read:
Ya.M. Kagan - "Spectroscopic Probe Methods of Plasma Investigation".
V.I. Drozdov - "Oscillographic Measurement in Plasma".
V.A. Simonov and A.G. Hal'shkin "Wiener Methods of the Movement of Plasma by Means of a Mass Spectrometer of the Omegatron Type".

KURABKOV, V. A.

21(9)   SOV/89-6-3-8/29
AUTHORS: Budyanskiy, G. M., Zavenyagin, Yu. A., Fedorov, N. D.,
                Khrabrov, V. A.

TITLE: On the Possibility of Accelerating Polarized Protons in a
                Cyclotron (O vozmozhnosti uskoreniya polyarizovannykh protonov
                v tsiklotrone)

PERIODICAL: Atomnaya energiya, 1959, Vol 6, Nr 3, pp 306 - 310 (USSR)

ABSTRACT: In connection with the construction of an ion source for pola-
                rized ions (Ref 1) the problem arises whether it is possible
                to accelerate these polarized ions in a cyclotron and to let
                them escape from it. If an acceleration would be feasible, a
                primary straying could be eliminated and a particle beam with
                a sufficient high intensity could be produced provided that an
                sufficiently strong ion source has been chosen. The probability
                of spin orientation inversion during the acceleration of
                polarized protons in a cyclotron is estimated theoretically.
                The magnetic field of the cyclotron decreases with growing
                radius and besides exhibits an azimuthal inhomogeneity. The
Card 1/2   probability for the polarization of accelerated protons when
                the beam escapes from the cyclotron chamber is also estimated

On the Possibility of Accelerating Polarized Protons   SOV/89-6-3-8/29
in a Cyclotron

theoretically. In both cases it is shown that the probability
of depolarization is very small. This work has already been
carried out in 1956. There are 1 figure and 2 Soviet references.

SUBMITTED: September 20, 1958

Card 2/2

L 62915-65   EWT(m)/EWP(w)/EWA(d)/T/EWP(t)/EWP(z)/EWP(b)   MJW/JD

ACCESSION NR: AR5019141   UR/0137/65/000/007/I029/I029

SOURCE: Ref. zh. Metallurgiya, Abs. 7I186

AUTHOR: Mishin, D. D.; Khrabrov, V. A.

TITLE: Study of the temperature stabilization of the magnetic permeability of 79NM permalloy
CITED SOURCE: Sb. Fiz. magnitn. yavleniy. Sverdlovsk, 1964, 109-111

TOPIC TAGS: permalloy, magnetic permeability, temperature control, electric resistance, metal aging/79NM permalloy

TRANSLATION: A study was made of the effect of aging on the electrical resistance R_T and the diffusional magnetic permeability μ_{dif} of toroidal samples made from strips of 79NM permalloy with a thickness of 0.008cm. The samples were subjected to different heat treatments: heating for 3 min to 800C, to 1000C and to 1100C, and heating for 120 min to 1100C. The holding time during aging was 60 min, and cooling was done at a rate of 200 degrees/hour. R_T was measur-

Card 1/2

L 62915-65

ACCESSION NR: AR5019141

ed at 445C, and μ_{dif} in the temperature region from 100-300C in an argon atmosphere. It was established that $\Delta R/R_T$ increases as a function of the holding time during aging. It was shown that the highest temperatures for the stabilization of μ_{dif} is exhibited by the sample heated for 3 min to 800C, for which $\Delta R/R_T$ has the largest value. It was established that there exists a determined relationship between the course of R_T during the aging process and the temperature stabilization μ_{dif} of a permalloy. (From RZh Fiz.)

SUB CODE: MM   ENCL: 00

Card 2/2

L 24175-66   EWP(e)/EWT(m)/EWA(d)/EWP(t)   IJP(c)   JD

ACC NR: AR6005234   SOURCE CODE: UR/0058/65/000/009/E131/E131

AUTHORS: Mishin, D. D.; Khrabrov, V. A.

TITLE: Investigation of the temperature stabilization of the magnetic permeability of 79 NM permalloy

SOURCE: Ref. zh. Fizika, Abs. 9E1085

REF. SOURCE: Sb. Fiz. magnitn. yavleniy. Sverdlovsk, 1964, 109-111

TOPIC TAGS: magnetic permeability, permalloy, magnetic domain boundary, thermal stability, resistivity, electron mobility, heat treatment/79 NM permalloy

TRANSLATION: The authors investigated the influence of aging on the electric resistivity R_T and the differential magnetic permeability M_{dif} of toroidal samples prepared from a tape of permalloy 0.008 cm thick. The samples were subjected to different heat treatment (HT): heating for three minutes to 800 (1), to 1000 (2), and to 1100C (3) and heating for 120 minutes to 1100C (4). The aging consisted of

Card   1/2

L 24175-66
ACC NR: AR6005234

soaking for 60 minutes, and the cooling was at a rate of $200C/hr$. The value of R_T was measured at $445C$, and M_{dif} in the region $T = 100$ -- $300C$ in an atmosphere of argon. It was established that $\Delta R/R_T$ increases with the soaking time during aging. From a comparison of the curves of the dependence $M_{dif} T^o C/M_{dif} 20^o C$. It is seen that the greatest temperature stability of magnetic permeability is possessed by sample 1, for which $\Delta R/R_T$ has the largest value. The presence of a definite regular connection between the variation of R_T during the aging process and the temperature stability of the permeability of permalloy is established. This connection is attributed to the existence of a connection between the shift of the domain boundaries and the mobility of the conduction electrons following a change in the permalloy temperature. N. Smol'kov.

SUB CODE: 20

Card   2/2

Subject   : USSR/Meteorology   AID P - 3839

Card 1/1   Pub. 71-a - 2/35

Author   : Khrabrov, Yu. B.

Title   : On short-range forecasting using synoptic methods

Periodical   : Met. i. gidr., 6, 7-12; N/D 1955

Abstract   : A detailed analysis of the methods and components of
                a three-day forecast. Research was done on cyclones,
                anticyclones and heat waves and their average time
                and intensity. The possibility of 5 to 7 day fore-
                casting is assumed. One diagram, 2 tables. Nine
                Russian references, 1933-1954.

Institution : None

Submitted   : No date

KHRABROV, Yu.B.

Compiling monthly weather forecasts with reduced forewarning period. Meteor.i gidrol. no.10:30-33 O '56.   (MLRA 9:12)

(Weather forecasting)

KURICHKOV, M. K.
KURICHKOV, Yu.A.

Twenty years of weather forecasting in the Central Institute of
Prognoses. Trudy TSIP no.55:23-24 '57. (MLRA 10:9)
(Weather forecasting)

KHRABROV, Yu.B.

Some problems in estimating solar activity for the preparation
of monthly weather forecasts. Trudy TSIP no.71:11-16 '58.
(MIRA 11:12)

(Weather forecasting)

KHRABROV, Yuriy Borisovich; KATS, A.L., otv.red.; BLINNIKOV, L.V.,
    red.; ZARKH, I.M., tekhn.red.

    [Methods for compiling weather forecasts for three to seven
    days] Metodika sostavleniia prognozov pogody na 3 — 7 dnei.
    Moskva, Gidrometeor. izd-vo, 1959. 181 p.   (MIRA 12:7)
              (Weather forecasting)

3(7)   SOV/50-59-8-17/19
AUTHOR: Girs, A. A.

TITLE: Yu. B. Khrabrov "Method of Compiling Weather Forecasts for 3-7
               Days". Gidrometeoizdat Publishing House, Leningrad, 1959
               (Yu. B. Khrabrov "Metodika sostavleniya prognozov pogody na 3-7
               dney". Gidrometeoizdat. L. 1959)

PERIODICAL: Meteorologiya i gidrologiya, 1959, Nr 8, pp 47-50 (USSR)

ABSTRACT: Although the School of B. P. Mul'tanovskiy has worked 40
               years on the problem of long-termed forecasts given at
               short notice,   the quality of the forecasts based on the
               school's methods, does not meet established practical standards.
               The latest investigations for improving these methods were car-
               ried out at the Tsentral'nyy institut prognozov (Central Insti-
               tute of Forecasts) and in various organizations of the GUGMS. A
               highly active part was played by Yu. B. Khrabrov who found a
               number of rules in the development of macroprocesses in 1956-57.
               This enabled him to work out a new, better, and physically
               better founded, method of weather forecasts for 3-7 days. It is
               put forward in the book discussed here. Khrabrov's method is
Card 1/2   based on the investigation of the character of processes which

Yu. B. Khrabrov "Method of Compiling Weather Forecasts for 3-7 Days".
Gidrometeoizdat Publishing House, Leningrad, 1959

are observed during the synoptic periods of Mul'tanovskiy. But
in the definition of this term, the author starts from consider-
ing the state and the evolution of the planetary altitude frontal
zone. The author's principal attention is directed to the evolu-
tion of the processes within the synoptic processes; he uses the
conclusions of the vortex theory. The author shows that during
a synoptic period a homogeneous macroprocess is not always ob-
served. The latter often ends before the synoptic period.
Khrabrov introduces the term of a homogeneous macrosynoptic
process within which the planetary altitude frontal zone under-
goes a certain evolution. A short table of contents of individ-
ual chapters, and some small shortcomings, are indicated. Para-
graph 4 of the 2nd chapter describes the characteristics of the
development of processes of synoptic periods in East Siberia
and the Soviet Far East, which were obtained in the papers by
L. F. Noshchenko, A. M. Glybovets, and L. I. Kuzmishcheva on the
basis of Khrabrov's method.

Card 2/2

GIBS, Aleksandr Aleksandrovich. Prinimali uchastiye: GUROV, V.P.,
    dotsent; KHRABROV, Yu.B., kand.fiziko-matem.nauk. POKROVSKAYA,
    T.V., otv.red.; VLASOVA, Yu.V., red.; BRAYNINA, M.I., tekhn.red.

    [Fundamentals of long-range weather forecasting] Osnovy dolgo-
    srochnykh prognozov pogody. Leningrad, Gidrometeor.izd-vo, 1960.
    559 p.   (MIRA 13:7)

    1. TSentral'nyy institut prognozov (for Khrabrov).
                (Weather forecasting)

KHRABROV, Yu.B.

Concerning V.P.Sadokov's article "Fundamental errors in the theoretical principles underlying long-range weather forecasts given a short period in advance." Izv. AN SSSR. Ser. geofiz. no.8:1285-1286 Ag '60.

(MIRA 13:8)

(Weather forecasting)   (Sadokov, V.P.)

KHRABROV, Yu.B.

Making extended weather forecasts on the basis of a complex of prognostic relationships. Trudy TSIP no.89:122-126 '60.
(MIRA 14:3)
(Weather forecasting)

KHRABROV, Yu.B.

Accounting for long range meteorological processes in preparing
monthly weather forecasts. Astron.sbor no.3/4:114-120 '60.
(MIRA 14:11)

1. TSentral'nyy institut prognozov.
(Weather forecasting)

KHRABROV, Yu.B.

Formation of mean monthly air temperatures and their prediction.
Trudy TSIP no. 92:3-12 '60.   (MIRA 14:2)
        (Atmospheric temperature)   (Weather forecasting)

KHABAROV, YURIY BORISOVICH

    A method of preparing weather forecasts for 3-7
days. Jerusalem, Published for the National Science
Foundation, Washington, D.C., and the Dept., of
Commerce, USA, by the Isreal Program for Scientific
Translations, 1961.
    202 p. graphs, maps, tables.
    Translated from the original Russian: Metodika
sostavleniya prognozov pogody na 3-7 dney, Moscow,
1959.
    At head of title: Russia. Glavnoye Upravleniye
Gidrometeorologicheskoy Sluzhby. Tsentral'nyy
Institut Prognozov.
    Bibliography: p. 132-141.

KHRABROV, Yu.B., doktor geograf.nauk

Year of contrasts in climate. Priroda 50 no.5:79-82 My '61.
(MIRA 14:5)

1. TSentral'nyy institut prognozov.
(Weather)

POGOSYAN, Kh.P., nauchnyy red.; KATS, A.L., nauchnyy red.; KHRABROV,
  Yu.B., nauchnyy red.; USMANOV, R.F., nauchnyy red.;
  BLINNIKOV, L.V., red.; ZARKH, I.M., tekhn. red.

[Transactions of the First Conference on General Atmospheric
Circulation, March 14-18, 1960]Trudy Nauchnoi konferentsii
po voprosam obshchei tsirkuliatsii atmosfery. 1st, Moscow.
Moskva, Gidrometeoizdat (otdelenie) 1962. 231 p.
                                              (MIRA 16:4)
1. Nauchnaya konferentsiya po voprosam obshchey tsirkulyatsii
atmosfery. 1st, Moscow, 1960. 2. TSentral'nyy institut progno-
zov, Moskva (for Pogosyan, Kats, Usmanov).
                  (Atmosphere)

KATS, A. L.; KHRABROV, Yu. B.; FEDULOVA, M. N.; YAKUSHEVA, O. M.

Use of empirical influence functions to forecast mean values
of H_{500} at the present time and the tendency for the subsequent
synoptic period. Trudy TSIP no.119:24-35 '62.

(MIRA 16:1)

(Atmospheric pressure)

S/050/63/000/003/003/003
D207/D308

AUTHOR: Khrabrov, Yu.B.

TITLE: Prospects for the development of a synoptic method of long-term weather forecasting

PERIODICAL: Meteorologiya i gidrologiya, no. 3, 1963, 47-51

TEXT: The past history and recent achievements in long-term forecasting are reviewed /Abstracter's note: No references given / and it is concluded that the most pressing need is for more observational information and its rapid publication, publication of past records, international exchange of information and use of mechanical methods, e.g. punched cards. The following lines of future research on the causes of air motion are suggested: (1) Macro-synoptic transformations in relation to the stratified nature of temperature fields in the stratosphere and troposphere. (2) Development of macroprocesses and weather at temperate latitudes in relation to the temperature fields in the atmosphere at fixed and seasonal atmospheric activity centers. (3) Vertical structure and air

Card 1/2

Prospects for the development ...

S/050/63/000/003/003/003
D207/D308

exchange between the northern and southern hemisphere. (4) Distribution of air masses at fixed levels in free atmosphere during the months with a total excess or deficiency of air in the northern hemisphere. (5) Satellite observations of high and low temperature zones and of humidity in relation to the development of macrosynoptic processes in the atmosphere.

ASSOCIATION: Tsentral'nyy institut prognozov (Central Forecasting Institute)

Card 2/2

KHRABROV, Yu.B.; KOZEL'TSEVA, V.F.

Results of the operational investigation of various methods for monthly weather forecasting. Trudy TSIP no.124:3-13 '63.
(MIRA 16:8)

(Weather forecasting)

KHRABROV, Yu.B., doktor geograf. nauk, prof.; RESHETOV, V.D., kand. fiz.-matem. nauk

Complex method and the problem of long-range weather fore-casting. Meteor. i gidrol. no.5:51-54 My '64.

(MIRA 17:6)

1. TSentral'nyy institut prognozov i TSentral'naya aerolo-gicheskaya observatoriya.

KHRABROV, Yu.B., prof.

Monthly weather forecasts. Meteor. i gidrol. no.7:63-64
Jl '64
(MIRA 17:8)

1. Nachal'nik otdela dolgosrochnykh prognozov TSentral'nogo
instituta prognozov.

ACC NR: AT7005072

SOURCE CODE: UR/2546/66/000/154/0041/0046

AUTHORS: Khrabrov, Yu. D.; Zinov'yeva, L. M.

ORG: none

TITLE: Calculated prognosis of the H_{500} field for the subsequent synoptic period and the possibility for increasing its accuracy

SOURCE: Moscow. Tsentral'nyy institut prognozov. Trudy, no. 154, 1966. Vzaimodeystviye protsessov v stratosfere i troposfere i dolgosrochnyye prognozy pogody (Interaction of processes in the stratosphere and troposphere and long-range weather forecasting), 41-46

TOPIC TAGS: atmospheric model, synoptic meteorology, atmospheric interaction, computer calculation

ABSTRACT: A new method for calculation of H_{500} prognosis for the following synoptic period is being worked out in view of the unsatisfactory results obtained by applying the method of A. L. Kats, Yu. B. Khrabov, M. N. Fedulova, and O. M. Yakusheva (Prognoz srednikh znacheniy H_{500} na tekushchiy period i tendentsiyu sleduyushchego sinopticheskogo perioda s pomoshch'yu empiricheskikh funktsiy vliyaniya. Trudy TsIP, vyp. 119, 1962) involving the current configurations. The working formula developed is represented by the equation

$$(H)'_n = \sum_{i=1}^{10} A_{ni}(T_{500})_i + \sum_{i=1}^{10} B_{ni}(\Delta T)_i + \sum_{1}^{4} C_n l'_2 + \sum_{1}^{4} D_n l'_{ni}.$$

Card 1/2

ACC NR: AT7005072

where k — point for which H' is calculated; i — 10 points for which forecasters T_{500} and $\triangle T$ are considered; $(T_{500})'$ — T_{500} deviation of the synoptic period tendencies from the average value for the given circulation type; $\triangle T$ — T_{500} difference between the first and second day of the synoptic period tendency; $(H)_k'$ — prognosis of the deviation from the norm of H_{500} in the future synoptic period. As a norm, one assumes the average value of H_{500} for a given type for many years; I_z — zonal circulation indices in 3 sectors of the northern hemisphere; I_M — meridional indices in the same sectors; A_{ki}, B_{ki}, C_k, D_k — weight coefficients (empirical effect functions). The calculations, performed by electronic computers, were repeated twice at 20 European and Asiatic stations. The accuracy of the obtained prognostic values was considerably improved when the strictly terrestial factors (temperature, wind, moisture distribution, etc) were qualitatively corrected by also introducing the effect of the bombardment of the earth's atmosphere by solar currents. This was particularly noticeable and important during the period of the passage of sunspots through the central meridian of the sun. Orig. art. has: 1 figure, 4 tables, and 2 equations.

SUB CODE: 04/ SUBM DATE: none/ ORIG REF: 005

Card 2/2

KAGANOVICH, Yu.Ya.; ZLOBINSKIY, A.G.; KHRABROVA, N.I.; DOLBNIN, A.V.;
        IVANOV, A.A.; MATUSYAK, B.I.; MASSOV, Ya.A.; TARANOV, Ye.S.

        Drying of yeast feeds in the fluidized bed. Gidroliz. i
        lesokhim. prom. 16 no.6:3-4 '63.   (MIRA 16:10)

        1. Vsesoyuznyy nauchno-issledovatel'skiy institut galurgii (for
        Kaganovich, Zlobinskiy, Khrabrova). 2. Gosudarstvennyy
        institut po proyektirovaniyu gidroliznykh zavodov (for
        Dolbnin, Ivanov, Matusyak, Massov, Taranov).

KHRABROVA, O.P.

Features of the reaction of the animal to shock-producing stimulations during the administration of aminazine. Biul. eksp. biol. i med. no.2:23-27 F '61.   (MIRA 14:5)

1. Iz laboratorii patofiziologii Nauchno-issledovatel'skogo instituta skoroy pomoshchi imeni I.I.Dzhanelidze (dir. - dotsent S.N.Polikarpov), Leningrad. Predstavlena deystvitel'nym chlenom AMN SSSR S.V, Anichkovym.
            (CHLORPROMAZINE)   (SHOCK)

SELEZNEV, S.A.; IL'INSKIY, I.A.; KHRABROVA, O.P.

Hematological patterns in laboratory animals (cats and rabbits) and principles of their formation. Fiziol.zhur. 47 no.5:650-654 My '61.
(MIRA 14:5)

1. From the Laboratory of Pathological Physiology, J.J.Djenalidze Research Institute of First Aid, Leningrad.
(BLOOD)   (VETERINARY PHYSIOLOGY)

KHRABROVA, O.P.

Experimental data on the compound use of neuroplegic, vasopressor and hormonal substances in the treatment of shock. Biul. eksp. biol. i med. 3[1.e.53] no.3:60-64 Mr '62.   (MIRA 15:4)

1. Iz laboratorii patologicheskoy fiziologii (rukovoditel' - kand. med.nauk S.A.Seleznev) Nauchno-issledovatel'skogo instituta skoroy pomoshchi imeni prof. I.I.Dzhanelidze (dir. - dotsent S.N.Polikarpov, nauchnyy rukovoditel' - zasluzhennyy deyatel' nauki prof. M.S.Lisitsyn), Leningrad. Predstavlena deystvitel'nym chlenom AMN SSSR S.V.Anichkovym.
     (SHOCK)   (AUTONOMIC DRUGS)   (HORMONE THERAPY)
                   (VASOMOTOR DRUGS)

KHRABROVA, O.P. (Leningrad)

Use of ACTH and cortisone in experimental shock. Probl.endok.
i gorm. no.4:16-18 '62.   (MIRA 15:11)

1. Iz laboratorii patofiziologii Nauchno-issledovatel'skogo
instituta skoroy pomoshchi imeni I.I. Dzhanelidze (dir. -
dotsent S.N. Polikarpov).
          (SHOCK)   (ACTH)   (CORTISONE)

SELEZNEV, S.A., KHRABROVA, O.P.

Methodology of chronic catheterization of the portal vein in
cats. Biul.eksp.biol. i med. 55 no.1:122-123 Ja'63.
(MIRA 16:7)

1. Iz laboratorii patologicheskoy fiziologii (rukovoditel' -
kand.med. nauk S.A.Seleznev) Nauchno-issledovatel'skogo in-
stituta skoroy pomoshchi imeni I.I.Dzhanelidze (dir. - doktor
meditsinskich nauk Ye.G.TSurinova) Leningrad. Predstavlena
akademikom V.N.Chernigovskim.
(PORTAL VEIN—EXAMINATION)   (CATHETERS)

ROZHDESTVENSKIY, V.; PAVLOV, N., master sporta; KHRABRYKH, Svetlana,
        sportsmenka I razryada

    A student amateur club. Kryl.rod. 13 no.6:9-10 Je '62.
                                        (MIRA 19:1)
    1. Predsedatel' planernoy sektsii studencheskogo samodeyatel'-
    nogo kluba Kuybyshevskogo aviatsionnogo instituta (for
    Rozhdestvenskiy). 2. Rukovoditel' aviamodel'noy laboratorii
    studencheskogo samodeyatel'nogo kluba Kuybyshevskogo aviatsionnogo
    instituta (for Pavlov).

KHRABUSTOVSKIY, I. F.

"Data on the Study of the Antibiotic Properties of 'Mikrotsidvaktsin' (Microcide-Vaccine) Against Paratyphus in Calves." Cand Biol Sci, Ukrainian Inst of Experimental Veterinary Medicine, 1953. (RZhBiol, No 1, Sep 54)

SO: Sum 432, 29 Mar 55

USSR/Farm Animals - Large Horned Cattle.   Q-2

Abs Jour : Ref Zhur - Biol., No 18, 1958, 83367

Author   : Khrabustovskiy, I.F.

Inst   : Khar'kov Zootechnical Institute.

Title   : Effects of Zoologically Hygienic Cow Keeping Procedures
            upon the Animals' Organic Condition.

Orig Pub : Sb. tr. Khar'kovsk. zootekhn. in-ta, 1957, 9, 139-150

Abstract : Investigations were carried out in rayons of UkrSSR fo-
            rest steppes which aimed at determining reactions of the
            cow organism to keeping conditions in cow-sheds. As long
            lasting temperature and humidity measurements of the air
            were performed, the cow-sheds' microclimate was investiga-
            ted with self-registering apparatuses, and when such measu-
            rements were taken just once, simple apparatuses were used.
            In January to April of 1954, temperatures in the cow-shed

Card 1/2

KHRABUSTOVSKIY, Ivan Frantsevich

[Livestock barns and the hygiene of housing stock] Tvarynnytski
prymishchennia ta higiena utrymannia khudoby, Kharkiv, Kharkivske
knyzhkove vyd-vo, 1959. 80 p.   (MIRA 13:10)
                         (Stables)

KHRABUSTOVSKIY, Ivan Frantsovich

[Care and maintenance of farm animals] Dohliad ta utrymannia
sil's'kohospodars'kikh tvaryn. Kyiv, Derzh. vyd-vo sil's'ko-
hospodars'koi lit-ry, 1959. 106 p.   (MIRA 15:3)
                    (Domestic animals)

GORB, T.V. [Horb, T.V.], doktor sel'skokhoz.nauk; TERESHCHENKO, F.K.,
kand.biolog.nauk; BOGAYEVSKIY, O.T. [Bohaievs'kyi, O.T.], kand.
veterin.nauk; POTYOMKIN, M.D., [Pot'omkin, M.D.], akademik;
KNIGA, M.I. [Knyha, M.I.]; POPOV, O.Ya., kand.sel'skokhoz.nauk;
KHMELIK, G.G. [Hmelyk, H.H.], kand.sel'skokhoz.nauk; SHRAM, I.P.,
kand.sel'skokhoz.nauk [deceased]; KOPIL, A.M., kand.sel'skokhoz.
nauk; TSILYUTIN, V.K., kand.sel'skokhoz.nauk; BOZHKO, P.Yu., doktor
sel'skokhoz.nauk; KROMIN, S.S., kand.sel'skokhoz.nauk; ZEMLYANSKIY,
V.M. [Zemlians'kyi, V.M.], kand.sel'skokhoz.nauk; BORISENKO, A.M.
[Borysenko, A.M.], kand.biolog.nauk; ZAKHARENKO, V.B., kand.biolog.
nauk; SMIRNOV, I.V. [Smyrnov, I.V.], kand.biolog.nauk; KHRABUSTOVSKIY,
I.F. [Khrabustovs'kyi, I.F.], kand.biolog.nauk; TORSTYANETSKAYA, M.N.,
[Trostianets'ka, M.N.], assistent; ALESHKO, P.I., inzh.; VASIL'YEV,
Vasyl'iev, O.F., kand.tekhn.nauk; BUGAYENKO, I.I. [Buhaienko, I.I.],
starshiy prepodavatel'; TRAKHTOMIROVA, O.O., kand.ekonom.nauk;
BUTKO, S.D., kand.ekonom.nauk; TELESHIK, K.G. [Teleshyk, K.H.],
doktor ekonom.nauk; YAROSHENKO, V.D., kand.ekonom.nauk; LISIY, I.Y.
[Lysyi, I.I.], red.; YEROSHENKO, T.G. [IEroshenko, T.H.], tekhn.red.

[Handbook for zootechnicians] Dovidnyk zootekhnika. 2., dopovnene
i pererobllene vyd. Kyiv, Derzh.vyd-vo sil's'kohospodars'koi lit-ry
URSR, 1960. 728 p.   (MIRA 15:2)

1. Vsesoyuznaya akademiya sel'skokhozyaystvennykh nauk imeni V.I.
Lenina (for Potemkin). 2. Chlen-korrespondent Vsesoyuznoy akademii
sel'skokhozyaystvennykh nauk imeni V.I.Lenina (for Kniga).
(Stock and stock breeding)

L 00312-01   ᴀᴍ∧⦅1⦆   IJP(c)   AT/GD

ACC NR: AT6020432   SOURCE CODE: UR/0000/65/000/000/0024/0035

AUTHOR: Kornilov, Ye. A.; Kovpik, O. F.; Faynberg, Ya. B.; Khrachenko, I. F.

72
Bᵗ1

ORG: none

TITLE: Investigation of particle energy and conditions of excitation of low frequency
oscillations in a plasma formed by the growth of instabilities in a beam-plasma system

SOURCE: AN UkrSSR. Vzaimodeystviye puchkov zaryazhennykh chastits s plazmoy (Inter-
action of charged particle beams with plasma). Kiev, Naukova dumka, 1965, 24-35

TOPIC TAGS: ion current, ion density, plasma interaction, plasma beam interaction,
acoustic frequency

ABSTRACT: The conditions necessary for the excitation of ion currents in experiments
where electron beams traverse the plasma are reported. The experiment is described and
a diagram of it is given. An electron beam of 2-5 kev electrons (10-80 mA) is incident
on the plasma in the magnetic field (0-2 kg) parallel to the beam. Movable analyzers
were used thus permitting the interaction length of beam and plasma to be changed. Ana-
lysis of the discharge showed that ion current density across the magnetic field lines
is smaller than that along the field lines. These currents could be generated only
when the ambient pressure was between $4 \cdot 10^{-4}$ and 10^{-2} mm Hg. The current maximum also
appears at a pressure corresponding to maximum plasma oscillations. It is also shown

Card 1/2

L 06312-67

ACC NR: AT6020432

that the electron ion currents emerging from the plasma are equal to the current entering the plasma. The observation of outflowing currents has shown that for sufficiently long plasma-beam interaction length, the current from the end of the plasma consisted solely of ions. The investigation of the frequency distribution of the excited oscillations shows that the ion current arises in situations favoring the production of instabilities. The most favorable conditions for generating beams of ions with energies up to 1 kev are given. The study of excitation frequency change with electron temperature and type of gas used shows that the low frequency oscillations generated in the experiment were near the ion-acoustic frequencies. Further study of the generation of low frequencies is needed. Orig. art. has: 6 figures, 1 table.

SUB CODE: 20/   SUBM DATE: 11Nov65/   ORIG REF: 017/   OTH REF: 003

Card 2/2

CHEBOTAREV, A.I., doktor tekhn. nauk; KHRACHENKO, S.I., kand. tekhn. nauk

Methods for the estimation of possible changes in the river runoff under the influence of agriculture. Meteor. i gidrol. no.7:27-32 Jl '64   (MIRA 17:8)

1. Gosudarstvennyy gidrologicheskiy institut.

PORADOVSKY, K.; KHRADECKY, L.; MACH, M.; KLUCKOVA, I.; POKORNY, J.;
        PONTUCH, A.; ZAJACOVA, E.

Obstetrical surgery and perinatal mortality. Cesk. gynek.
29 no.6:534-545 Ag '64.

1. Gyn.-por. klin. Lek. fak. University P.J. Safarika v
Kosiciach (prednosta doc. dr. K. Poradovsky, CSc,) Gyn.-
por. klin. Lek. fak. University Karlovy v Plzni (prednosta
prof. dr. V. Mikolas); Gyn.-por. klin. Lek. fak. University
J.E. Purkyne v Brne (prednosta prof. dr. L. Havlasek [deceased])
a Gyn.-por. klin. Lek. fak. University Komenskeho v Bratislave
(prednosta prof. dr. S. Stefanic).